



# TILE & STONE INDEX

LIMESTONE	05
PIETRA CIOTOLI STONE	35
MALMSTONE	55
BASALT	73



# LIMESTONE

---


## PORCELAIN

### FULL BODY

- MATT
- LAPPATO
- ANTI-SLIP

## WALL TILE

- GLOSSY
- WAVE
- DÉCOR



WHITE

LIGHT GREY

MEDIUM GREY

BEIGE

DARK GREY

Smooth To The Touch With A Seasoned Surface, Every Step We Take Is Like Gliding Gracefully And Effortlessly, Creating A Differential Feeling For Every Space. Darker And Lighter Shades Introduce Exciting Options And There's Never A Dull Moment In The Living Space.

**MATT****LAPPATO****ANTI-SLIP**

# 3

## SURFACES

One Complete Solution To Cover Most Of Architectural Spaces In A Harmonious Way.

### **MATT**

Helps To Create A Certain Softness That Is Both Calming And Tranquil, Which A Dull And Lusterless Surface Is Trending Now.

### **LAPPATO**

A Reflective Or Semi-Glossy Surface That Most Modern Urban Homes Applied For Their Own Interior Designs.

### **ANTI-SLIP**

Reducing The Chance Of Slip And Fall Accidents, Make Litigation At Your Work Place And Public Area, With Yet All Elegance No Less.



**LIMESTONE  
BEIGE**

**W**

MATT  
600x600mm  
KG60063

**F**

ANTI-SLIP  
600x600mm  
KG60096



**LIMESTONE  
BEIGE**

<b>W</b>	<b>D</b>	<b>F</b>
GLOSSY	DÉCOR	MATT
300x600mm	300x600mm	300x300mm
2-6B60481	4-6B60578	2-6R30481



**LIMESTONE  
WHITE**

**W**  
MATT  
600x600mm  
KG60082



## LIMESTONE WHITE

**W**

GLOSSY  
300x600mm  
6A60478

**D**

DÉCOR  
300x600mm  
4-6B60576

**F**

MATT  
300x300mm  
2-6R30478



**LIMESTONE  
WHITE**

**F**  
MATT  
600x600mm  
KG60082



**LIMESTONE  
WHITE**

<b>W</b> GLOSSY 300x600mm 6A60478	<b>D</b> DÉCOR 300x600mm 4-6B60576	<b>F</b> MATT 300x300mm 2-6R30478
--	---	--



**LIMESTONE  
LIGHT GREY**

**W**

GLOSSY  
300x600mm  
2-6B60477

**D**

WAVE  
300x600mm  
3-6E60476

**F**

MATT  
300x300mm  
2-6R30477



**LIMESTONE  
LIGHT GREY**

**F**  
MATT  
600x600mm  
KG60061



**LIMESTONE  
LIGHT GREY**

**F**  
MATT  
600x600mm  
KG60061



**LIMESTONE  
MEDIUM GREY**

**W**  
ANTI-SLIP  
300x600mm  
KG60061

**F**  
ANTI-SLIP  
600x600mm  
KG60094



**LIMESTONE  
DARK GREY**

**F**

MATT  
600x600mm  
KG60079




**LIMESTONE  
DARK GREY**

**F**  
ANTI-SLIP  
600x600mm  
KG60091


# PORCELAIN **FULL BODY**



WHITE - MATT




WHITE - LAPPATO



WHITE - ANTI-SLIP



LIGHT GREY - MATT




LIGHT GREY - LAPPATO




LIGHT GREY - ANTI-SLIP




BEIGE - MATT




BEIGE - LAPPATO




BEIGE - ANTI-SLIP




MEDIUM GREY - MATT




MEDIUM GREY - LAPPATO




MEDIUM GREY - ANTI-SLIP



DARK GREY - MATT



DARK GREY - LAPPATO



DARK GREY - ANTI-SLIP

## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%

BREAKING  
STRENGTHFROST  
RESISTANCECHEMICALS  
RESISTANCESTAIN  
RESISTANCE

RECTIFIED



FIREPROOF


ANSI A137.1  
> 0,42SHADE  
VARIATION V3

COLOUR	SURFACE	600x1200mm	300x1200mm	200x1200mm	600x600mm	300x600mm	200x600mm	300x300mm
WHITE	MATT	-	-	-	KG60082	KG60082	KG60082	KG60082
	LAPPATO	-	-	-	KG60082P	KG60082P	KG60082P	KG60082P
	ANTI-SLIP	-	-	-	KG60095	KG60095	KG60095	KG60095
LIGHT GREY	MATT	-	-	-	KG60061	KG60061	KG60061	KG60061
	LAPPATO	-	-	-	KG60061P	KG60061P	KG60061P	KG60061P
	ANTI-SLIP	-	-	-	KG60093	KG60093	KG60093	KG60093
BEIGE	MATT	-	-	-	KG60063	KG60063	KG60063	KG60063
	LAPPATO	-	-	-	KG60063P	KG60063P	KG60063P	KG60063P
	ANTI-SLIP	-	-	-	KG60096	KG60096	KG60096	KG60096
MEDIUM GREY	MATT	-	-	-	KG60080	KG60080	KG60080	KG60080
	LAPPATO	-	-	-	KG60080P	KG60080P	KG60080P	KG60080P
	ANTI-SLIP	-	-	-	KG60094	KG60094	KG60094	KG60094
DARK GREY	MATT	-	-	-	KG60079	KG60079	KG60079	KG60079
	LAPPATO	-	-	-	KG60079P	KG60079P	KG60079P	KG60079P
	ANTI-SLIP	-	-	-	KG60091	KG60091	KG60091	KG60091

## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
600x600mm	10mm	4	1.44	33.00	36	51.84	1188.00
300x600mm	10mm	8	1.44	33.00	40	57.60	1320.00
200x600mm	10mm	8	0.96	22.00	60	57.60	1320.00
300x300mm	10mm	11	0.99	22.70	56	55.44	1272.00

# WALL TILE



WHITE - GLOSSY 300x600mm



WHITE - GLOSSY



WHITE - WAVE



WHITE - DÉCOR



LIGHT GREY - GLOSSY



LIGHT GREY - WAVE




LIGHT GREY - DÉCOR



BEIGE - GLOSSY



BEIGE - WAVE



BEIGE - DÉCOR

## CONFORMING TO STANDARDS


\*EN 14411 / ISO 13006 APPENDIX G. GROUP B1α GL CON Eb > 10%




COLOUR	SURFACE	300x600mm
WHITE	GLOSSY	6A60478
	WAVE	3-6E60480
	DÉCOR	4-6B60576
LIGHT GREY	GLOSSY	2-6B60477
	WAVE	3-6E60476
	DÉCOR	4-6B60575
BEIGE	GLOSSY	2-6B60481
	WAVE	3-6E60479
	DÉCOR	4-6B60578




## LAYING INDICATION



A: GLOSSY 300x600mm  
B: WAVE 300x600mm



A: GLOSSY 300x600mm  
B: WAVE 300x600mm




A: GLOSSY 300x600mm  
B: DÉCOR 300x600mm

## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
300x600mm	10mm	8	1.44	26.00	60	86.40	1560.00


# ACCESSORY MOSAIC

## CUBE MATT / LAPPATO / MIX




WHITE LIGHT GREY BEIGE MEDIUM GREY DARK GREY

## BAR MATT / LAPPATO / MIX




WHITE LIGHT GREY BEIGE MEDIUM GREY DARK GREY

## HEX MATT / LAPPATO / MIX




WHITE LIGHT GREY BEIGE MEDIUM GREY DARK GREY

## STRIPE MATT / LAPPATO / MIX




WHITE LIGHT GREY BEIGE MEDIUM GREY DARK GREY

## COLOR MIX (CUSTOMIZED) MATT




CUBE BAR HEX STRIPE

## COLOR MIX (CUSTOMIZED) FINISHES MIX



CUBE BAR HEX STRIPE

COLOUR	SURFACE	300x300mm	PCS/BOX
CUBE	MATT	LM30M-A	11
	LAPPATO	LM30P-A	11
	MIX	LM30X-A	11
BAR	MATT	LM30M-B	11
	LAPPATO	LM30P-B	11
	MIX	LM30X-B	11
HEX	MATT	LM30M-H	11
	LAPPATO	LM30P-H	11
	MIX	LM30X-H	11
STRIPE	MATT	LM30M-S	11
	LAPPATO	LM30P-S	11
	MIX	LM30X-S	11



## BULLNOSE

SIZE	PCS/BOX	ML/BOX	KG/BOX	CTNS/PALLET	ML/PALLET	KG/PALLET
100x600mm	20	12	27.50	40	480.00	1100.00

# PIETRA CIOTOLI

## PORCELAIN

### FULL BODY

- MATT
- LAPPATO
- ANTI-SLIP

## WALL TILE

- GLOSSY
- WAVE
- DÉCOR

WHITE

LIGHT GREY

MEDIUM GREY

TAUPE

DARK GREY

Small Or Medium-Sized  
Pebble-Look Design Are  
Easily Adaptable To All  
Spaces With Combination Of  
Aesthetics And Functionality.



**PIETRA CIOTOLI  
WHITE**

**F**  
ANTI-SLIP  
600x600mm  
HOG60015

**ANTI-SLIP**

A Blazed, Visual And Tactile Structure That Offers Depth And Consistency To Surfaces. Increased Thickness Highlights The Natural Charm Of This Material.



**Wear-resisting**



**Non-slipping**



**PIETRA CIOTOLI  
WHITE**

**W**  
GLOSSY  
300x600mm  
3A60793

**D**  
WAVE  
300x600mm  
3E60792

**F**  
MATT  
600x1200mm  
HOG26009



**PIETRA CIOTOLI  
LIGHT GREY**

**F**  
MATT  
600x600mm  
HOG60008

**MATT**

A Refined Finish Of The Collection, An Elegant Surface That Is Pleasant To Touch. It Can Fulfill The Most Demanding Standards.



**Wear-resisting**



**Non-slipping**



**PIETRA CIOTOLI  
LIGHT GREY**

**W**  
GLOSSY  
300x600mm  
3A30795

**D**  
WAVE  
300x600mm  
2-3B60798

**F**  
LAPPATO  
600x600mm  
HOG60003P



**PIETRA CIOTOLI  
MEDIUM GREY**

<b>W</b>	<b>F</b>
LAPPATO	LAPPATO
600x1200mm	600x600mm
HOG26007	HOG60001P

**LAPPATO**

The Lappato Surface Is An Example Of Flawless Elegance: The Surface, Soft And Silky To The Touch, Generates Subtle Reflections And Inspires The Depth And Beauty Of Stone.



**Wear-resisting**



**Non-slipping**



**PIETRA CIOTOLI  
MEDIUM GREY**

**F**  
LAPPATO  
600x600mm  
HOG60001P



**PIETRA CIOTOLI  
DARK GREY**

<b>W</b>	<b>F</b>
LAPPATO 600x1200mm HOG26002P	LAPPATO 200x1200mm HOG26002P

**PIETRA CIOTOLI  
WHITE**

**F**  
LAPPATO  
600x600mm  
HOG26004P



**PIETRA CIOTOLI  
WHITE**

**F**  
LAPPATO  
200x1200mm  
HOG26004P

**PIETRA CIOTOLI  
MEDIUM GREY**

**F**  
LAPPATO  
200x1200mm  
HOG26001P




**PIETRA CIOTOLI  
TAUPE**

**F**

MATT  
600x1200mm  
HOG26010

# PORCELAIN **FULL BODY**

PIETRA CIOTOLI



WHITE - MATT



WHITE - LAPPATO



WHITE - ANTI-SLIP



LIGHT GREY - MATT



LIGHT GREY - LAPPATO



LIGHT GREY - ANTI-SLIP




MEDIUM GREY - MATT



MEDIUM GREY - LAPPATO



MEDIUM GREY - ANTI-SLIP




DARK GREY - MATT




DARK GREY - LAPPATO



DARK GREY - ANTI-SLIP



TAUPE - MATT



TAUPE - LAPPATO



TAUPE - ANTI-SLIP

## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%



BREAKING STRENGTH



FROST RESISTANCE



CHEMICALS RESISTANCE



STAIN RESISTANCE



RECTIFIED



FIREPROOF



ANSI A137.1 > 0,42



SHADE VARIATION V2



COLOUR	SURFACE	600x1200mm	300x1200mm	200x1200mm	600x600mm	300x600mm	200x600mm	300x300mm
WHITE	MATT	HOG26009	HOG26009	HOG26009	HOG60009	HOG60009	HOG60009	HOG60009
	LAPPATO	HOG26004P	HOG26004P	HOG26004P	HOG60004P	HOG60004P	HOG60004P	HOG60004P
	ANTI-SLIP	-	-	-	HOG60015	HOG60015	HOG60015	HOG60015
LIGHT GREY	MATT	HOG26008	HOG26008	HOG26008	HOG60008	HOG60008	HOG60008	HOG60008
	LAPPATO	HOG26003P	HOG26003P	HOG26003P	HOG60003P	HOG60003P	HOG60003P	HOG60003P
	ANTI-SLIP	-	-	-	HOG60014	HOG60014	HOG60014	HOG60014
MEDIUM GREY	MATT	HOG26007	HOG26007	HOG26007	HOG60007	HOG60007	HOG60007	HOG60007
	LAPPATO	HOG26001P	HOG26001P	HOG26001P	HOG60001P	HOG60001P	HOG60001P	HOG60001P
	ANTI-SLIP	-	-	-	HOG60013	HOG60013	HOG60013	HOG60013
DARK GREY	MATT	HOG26006	HOG26006	HOG26006	HOG60006	HOG60006	HOG60006	HOG60006
	LAPPATO	HOG26002P	HOG26002P	HOG26002P	HOG60002P	HOG60002P	HOG60002P	HOG60002P
	ANTI-SLIP	-	-	-	HOG60012	HOG60012	HOG60012	HOG60012
TAUPE	MATT	HOG26010	HOG26010	HOG26010	HOG60010	HOG60010	HOG60010	HOG60010
	LAPPATO	HOG26005P	HOG26005P	HOG26005P	HOG60005P	HOG60005P	HOG60005P	HOG60005P
	ANTI-SLIP	-	-	-	HOG60011	HOG60011	HOG60011	HOG60011

## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
600x1200mm	11mm	2	1.44	36.50	48	69.12	1752.00
300x1200mm	11mm	3	1.08	27.38	64	69.12	1752.00
200x600mm	11mm	4	0.96	24.33	72	69.12	1752.00
600x600mm	10mm	4	1.44	33.00	36	51.84	1188.00
300x600mm	10mm	8	1.44	33.00	40	57.60	1320.00
200x600mm	10mm	8	0.96	22.00	60	57.60	1320.00
300x300mm	10mm	11	0.99	22.70	56	55.44	1272.00

PIETRA CIOTOLI

# WALL TILE




WHITE - GLOSSY 300x600mm



WHITE - GLOSSY




WHITE - WAVE



LIGHT GREY - GLOSSY



LIGHT GREY - WAVE



LIGHT GREY - DÉCOR

## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb > 10%



BREAKING STRENGTH



FROST RESISTANCE



CHEMICALS RESISTANCE



STAIN RESISTANCE



RECTIFIED



FIREPROOF



GLOSS UNITS




SHADE VARIATION V3




COLOUR	SURFACE	300x600mm
WHITE	GLOSSY	3A60793
	WAVE	3E60792
	DÉCOR	-
LIGHT GREY	GLOSSY	3A60795
	WAVE	2-3E60791
	DÉCOR	2-3B60798


## LAYING INDICATION



A: GLOSSY 300x600mm  
B: WAVE 300x600mm



A: GLOSSY 300x600mm  
B: WAVE 300x600mm






A: GLOSSY 300x600mm  
B: DÉCOR 300x600mm

## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
300x600mm	10mm	8	1.44	26.00	60	86.40	1560.00










# LISTELLO MIX

PIETRA CIOTOLI



## CONFORMING TO STANDARDS


\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%

 BREAKING STRENGTH	 FROST RESISTANCE	 CHEMICALS RESISTANCE	 STAIN RESISTANCE	 RECTIFIED	 FIREPROOF	 ANSI A137.1 > 0,42	 SHADE VARIATION V2
 MODULAR DESIGN MIX SURFACES 200x1200mm							

COLOUR	SURFACE	200x1200mm
WHITE	MATT	HOG26009
	LAPPATO	HOG26004P
	ANTI-SLIP	-
LIGHT GREY	MATT	HOG26008
	LAPPATO	HOG26003P
	ANTI-SLIP	-
MEDIUM GREY	MATT	HOG26007
	LAPPATO	HOG26001P
	ANTI-SLIP	-
DARK GREY	MATT	HOG26006
	LAPPATO	HOG26002P
	ANTI-SLIP	-
TAUPE	MATT	HOG26010
	LAPPATO	HOG26005P
	ANTI-SLIP	-



## LAYING INDICATION




## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
200x1200mm	11mm	4	0.96	24.33	72	69.12	1752.00

PIETRA CIOTOLI


# ACCESSORY MOSAIC

## CUBE MATT / LAPPATO / MIX



WHITE LIGHT GREY MEDIUM GREY DARK GREY TAUPE

## BAR MATT / LAPPATO / MIX



WHITE LIGHT GREY MEDIUM GREY DARK GREY TAUPE

## HEX MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY TAUPE

## STRIPE MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY TAUPE

## COLOR MIX (CUSTOMIZED) MATT




CUBE BAR HEX STRIPE

## COLOR MIX (CUSTOMIZED) FINISHES MIX



CUBE BAR HEX STRIPE

COLOUR	SURFACE	300x300mm	PCS/BOX
CUBE	MATT	PC30M-A	11
	LAPPATO	PC30P-A	11
	MIX	PC30X-A	11
BAR	MATT	PC30M-B	11
	LAPPATO	PC30P-B	11
	MIX	PC30X-B	11
HEX	MATT	PC30M-H	11
	LAPPATO	PC30P-H	11
	MIX	PC30X-H	11
STRIPE	MATT	PC30M-S	11
	LAPPATO	PC30P-S	11
	MIX	PC30X-S	11



## BULLNOSE

SIZE	PCS/BOX	ML/BOX	KG/BOX	CTNS/PALLET	ML/PALLET	KG/PALLET
100x600mm	20	12	27.50	40	480.00	1100.00

# MALMSTONE

## PORCELAIN

### FULL BODY

- MATT
- LAPPATO
- ANTI-SLIP

## WALL TILE

- GLOSSY
- WAVE
- DÉCOR



Classic And Soft Creamy Colors Inspire All The Design Passion, Yet Make You Feel All The Toughness Of Natural Stone.



**MALMSTONE  
WHITE**

<b>W</b>	<b>F</b>
MATT 300x300mm HOG60036P	MATT 600x600mm HOG60036P



**MALMSTONE  
WHITE**

**W**  
MATT  
300x600mm  
HOG60040



**MALMSTONE  
LIGHT GREY**

**W**

MATT  
600x1200mm  
HOG60039

**F**

MATT  
600x600mm  
HOG60039



**MALMSTONE  
MEDIUM GREY**

**F**

MATT  
200x1200mm  
HOG26038

**MALMSTONE  
DARK GREY**

**F**

MATT  
200x1200mm  
HOG26037



**MALMSTONE  
MEDIUM GREY**

**W**

MATT  
200x1200mm  
HOG26038



**MALMSTONE  
MEDIUM GREY**

**W**  
MATT  
200x1200mm  
HOG26038

**MALMSTONE  
DARK GREY**

**F**  
LAPPATO  
600x600mm  
HOG26033P


# PORCELAIN **FULL BODY**




WHITE - MATT



WHITE - LAPPATO



WHITE - ANTI-SLIP



LIGHT GREY - MATT



LIGHT GREY - LAPPATO



LIGHT GREY - ANTI-SLIP




MEDIUM GREY - MATT




MEDIUM GREY - LAPPATO




MEDIUM GREY - ANTI-SLIP



DARK GREY - MATT



DARK GREY - LAPPATO



DARK GREY - ANTI-SLIP

## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%



COLOUR	SURFACE	600x1200mm	300x1200mm	200x1200mm	600x600mm	300x600mm	200x600mm	300x300mm
WHITE	MATT	HOG26040	HOG26040	HOG26040	HOG60040	HOG60040	HOG60040	HOG60040
	LAPPATO	HOG26036P	HOG26036P	HOG26036P	HOG60036P	HOG60036P	HOG60036P	HOG60036P
	ANTI-SLIP	-	-	-	HOG60042	HOG60042	HOG60042	HOG60042
LIGHT GREY	MATT	HOG26039	HOG26039	HOG26039	HOG60039	HOG60039	HOG60039	HOG60039
	LAPPATO	HOG26035P	HOG26035P	HOG26035P	HOG60035P	HOG60035P	HOG60035P	HOG60035P
	ANTI-SLIP	-	-	-	HOG60043	HOG60043	HOG60043	HOG60043
MEDIUM GREY	MATT	HOG26038	HOG26038	HOG26038	HOG60038	HOG60038	HOG60038	HOG60038
	LAPPATO	HOG26034P	HOG26034P	HOG26034P	HOG60034P	HOG60034P	HOG60034P	HOG60034P
	ANTI-SLIP	-	-	-	HOG60044	HOG60044	HOG60044	HOG60044
DARK GREY	MATT	HOG26037	HOG26037	HOG26037	HOG60037	HOG60037	HOG60037	HOG60037
	LAPPATO	HOG26033P	HOG26033P	HOG26033P	HOG60033P	HOG60033P	HOG60033P	HOG60033P
	ANTI-SLIP	-	-	-	HOG60045	HOG60045	HOG60045	HOG60045

## PACKING










SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
600x1200mm	11mm	2	1.44	36.50	48	69.12	1752.00
300x1200mm	11mm	3	1.08	27.38	64	69.12	1752.00
200x600mm	11mm	4	0.96	24.33	72	69.12	1752.00
600x600mm	10mm	4	1.44	33.00	36	51.84	1188.00
300x600mm	10mm	8	1.44	33.00	40	57.60	1320.00
200x600mm	10mm	8	0.96	22.00	60	57.60	1320.00
300x300mm	10mm	11	0.99	22.70	56	55.44	1272.00

# LISTELLO MIX



## CONFORMING TO STANDARDS


\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%

 BREAKING STRENGTH	 FROST RESISTANCE	 CHEMICALS RESISTANCE	 STAIN RESISTANCE	 RECTIFIED	 FIREPROOF	 ANSI A137.1 > 0,42	 SHADE VARIATION V3
 MODULAR DESIGN MIX SURFACES 200x1200mm							

COLOUR	SURFACE	200x1200mm
WHITE	MATT	HOG26040
	LAPPATO	HOG26036P
	ANTI-SLIP	-
LIGHT GREY	MATT	HOG26039
	LAPPATO	HOG26035P
	ANTI-SLIP	-
MEDIUM GREY	MATT	HOG26038
	LAPPATO	HOG26034P
	ANTI-SLIP	-
DARK GREY	MATT	HOG26037
	LAPPATO	HOG26033P
	ANTI-SLIP	-



## LAYING INDICATION




## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
200x1200mm	11mm	4	0.96	24.33	72	69.12	1752.00


# ACCESSORY MOSAIC

## CUBE MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY

## BAR MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY

## HEX MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY

## STRIPE MATT / LAPPATO / MIX




WHITE LIGHT GREY MEDIUM GREY DARK GREY

## COLOR MIX (CUSTOMIZED) MATT




CUBE BAR HEX STRIPE

## COLOR MIX (CUSTOMIZED) FINISHES MIX



CUBE BAR HEX STRIPE

COLOUR	SURFACE	300x300mm 12"x12"	PCS/BOX
CUBE	MATT	MS30M-A	11
	LAPPATO	MS30P-A	11
	MIX	MS30X-A	11
BAR	MATT	MS30M-B	11
	LAPPATO	MS30P-B	11
	MIX	MS30X-B	11
HEX	MATT	MS30M-H	11
	LAPPATO	MS30P-H	11
	MIX	MS30X-H	11
STRIPE	MATT	MS30M-S	11
	LAPPATO	MS30P-S	11
	MIX	MS30X-S	11




## BULLNOSE

SIZE	PCS/BOX	ML/BOX	KG/BOX	CTNS/PALLET	ML/PALLET	KG/PALLET
100x600mm	20	12	27.50	40	480.00	1100.00

# BASALT

## PORCELAIN

- MATT



**BASALT WHITE**

**BASALT LIGHT GREY**

**BASALT MEDIUM GREY**

Forms When Lava Reaches  
The Earth's Surface At A  
Volcano Or Mid Ocean Ridge,  
Enjoying The Power Of Mighty  
Nature.



## BASALT WHITE

**W**

MATT  
600x600mm  
HEG60092

**F**

MATT  
600x600mm  
HEG60092



**BASALT  
WHITE**

**F**

MATT  
800x800mm  
HEG80092




**BASALT  
WHITE**

**W**

MATT  
800x800mm  
HEG80092

**F**

MATT  
800x800mm  
HEG80092



**BASALT  
LIGHT GREY**

**F**

MATT  
800x800mm  
HEG80091



**BASALT  
LIGHT GREY**


**F**

MATT  
800x800mm  
HEG80091



**BASALT  
MEDIUM GREY**

**F**  
MATT  
600x600mm  
HEG60093



**BASALT  
MEDIUM GREY**

**F**  
MATT  
600x600mm  
HEG60093




**BASALT  
MEDIUM GREY**

**W**  
MATT  
800x800mm  
HEG80093

**F**  
MATT  
800x800mm  
HEG80093

# PORCELAIN

MALMSTONE



## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb ≤ 0.5%



BREAKING STRENGTH



FROST RESISTANCE



CHEMICALS RESISTANCE



STAIN RESISTANCE



RECTIFIED



FIREPROOF



ANSI A137.1 > 0,42



SHADE VARIATION V3



MALMSTONE

COLOUR	SURFACE	600x600mm	800x800mm
WHITE	MATT	HEG60092	HEG80092
	LAPPATO	-	-
	ANTI-SLIP	-	-
LIGHT GREY	MATT	HEG60091	HEG80091
	LAPPATO	-	-
	ANTI-SLIP	-	-
MEDIUM GREY	MATT	HEG60093	HEG80093
	LAPPATO	-	-
	ANTI-SLIP	-	-

## PACKING

SIZE	THICKNESS	PCS/BOX	M <sup>2</sup> /BOX	KG/BOX	CTNS/PALLET	M <sup>2</sup> /PALLET	KG/PALLET
600x600mm	10mm	4	1.44	33.00	36	51.84	1188.00
800x800mm	10.5mm	3	1.92	46.00	28	53.76	1288.00

# FULL BODY PORCELAIN TILE



## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDICE G GRUPPO BIα GL CON Eb ≤ 0.5%

PHYSICAL PROPERTIES	TESTING METHOD	REFERENCE STANDARD	PRODUCT VALUES
LENGTH		±0.6%, ±2.0mm	±0.06%, ±0.6mm
WIDTH	EN ISO 10545-2:2018	±0.6%, ±2.0mm	±0.06%, ±0.6mm
THICKNESS		±5%, ±0.5mm	±1.2%, ±0.1mm
WATER ABSORPTION	EN ISO 10545-3:2018	Eb < 0.5%	Eb < 0.09%
BREAKING STRENGTH(N)		≥ 1300	S ≥ 2000
MODULUS OF RUPTURE(Mpa) , NOT APPLICABLE TO TILES WITH BREAKING STRENGTH > 3000N	EN ISO 10545-4:2019	≥ 35	R ≥ 40
ABRASION RESISTANCE	EN ISO 10545-7:1998 / AC:1999	REPORT VALUE	CLASS 2, 600 CYCLES / CLASS 4, 2100 CYCLES
THERMAL SHOCK RESISTANCE	EN ISO 10545-9:2013	PASS ACCORDING TO EN ISO 10545-9:2013	FULLY RESISTANCE
CRAZING RESISTANCE(GLAZED TILES)	EN ISO 10545-11:1996	PASS ACCORDING TO EN ISO 10545-11:1996	FULLY RESISTANCE
SLIPPERINESS	DIN 51130:2014	DECLARED VALUE	R9 / R10 / R11
REACTION TO FIRE	--	CLASS A1 OR A1FL	WALL - CLASS A1; FLOOR - CLASS A1fl
RESISTANCE TO STAINING	EN ISO 10545-14:2015	MINIMUM CLASS 3	CLASS 5
RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS		MINIMUM CLASS B	A
RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS	EN ISO 10545-13:2016	DECLARED VALUE	LA
RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS		DECLARED VALUE	HA

\* EXCLUDING HYDROFLUORIC ACID AND DERIVATIVES

# WALL TILE



## CONFORMING TO STANDARDS

\*EN 14411 / ISO 13006 APPENDIX G. GROUP BIα GL CON Eb > 10%

PHYSICAL PROPERTIES	TESTING METHOD	REFERENCE STANDARD	PRODUCT VALUES
LENGTH		±0.5%, ±2.0mm	±0.12%, ±0.4mm
WIDTH	EN ISO 10545-2:2018	±0.5%, ±2.0mm	±0.12%, ±0.4mm
THICKNESS		±10%, ±0.5mm	±0.7%, ±0.1mm
WATER ABSORPTION	EN ISO 10545-3:2018	Eb > 10%	10% < Eb < 20%
BREAKING STRENGTH(N)		≥ 600	S ≥ 1500
MODULUS OF RUPTURE(Mpa) , NOT APPLICABLE TO TILES WITH BREAKING STRENGTH > 3000N	EN ISO 10545-4:2019	≥ 12	R ≥ 20
THERMAL SHOCK RESISTANCE	EN ISO 10545-9:2013	PASS ACCORDING TO EN ISO 10545-9:2013	FULLY RESISTANCE
CRAZING RESISTANCE(GLAZED TILES)	EN ISO 10545-11:1996	PASS ACCORDING TO EN ISO 10545-11:1996	FULLY RESISTANCE
REACTION TO FIRE	--	CLASS A1 OR A1FL	WALL - CLASS A1; FLOOR - CLASS A1fl
RESISTANCE TO STAINING	EN ISO 10545-14:2015	MINIMUM CLASS 3	CLASS 5
RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS		MINIMUM CLASS B	A
RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS	EN ISO 10545-13:2016	DECLARED VALUE	LA
RESISTANCE TO LOW CONCENTRATIONS OF ACIDS AND ALKALIS		DECLARED VALUE	HA

## USES

HOTELS	PUBLIC SPACES	HOUSING	AIRPORTS
BAR - RESTAURANTS	MALLS	SHOPS	TRAIN STATIONS